

SPE RESPONSE FOR CERTIFICATE OF CORRECTION

Paper No.: \_\_\_\_\_

DATE : 11/19/08

TO SPE OF : ART UNIT 1644 (1600)

SUBJECT : Request for Certificate of Correction for Appl. No.: 09/292,053 Patent No.: 7,033,589

Attn: Phuong Huynh

Please respond to this request for a certificate of correction within 7 days.

**FOR IFW FILES:**

Please review the requested changes/corrections as shown in the **COCIN** document(s) in the IFW application image. No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Please complete the response (see below) and forward the completed response to scanning using document code **COCX**.

**FOR PAPER FILES:**

Please review the requested changes/corrections as shown in the attached certificate of correction. Please complete this form (see below) and forward it with the file to:

**Certificates of Correction Branch (C of C)**  
**South Tower - 9A22**  
**Palm Location 7580**

**\*ATTN: Ok to enter changes as requested in the COCIN?**

*Ernest C. White, LIE*  
**Certificates of Correction Branch**  
703-308-9390 ext.122

**Thank You For Your Assistance**

**The request for issuing the above-identified correction(s) is hereby:**

Note your decision on the appropriate box.

☒ **Approved**

All changes apply.

☐ **Approved in Part**

Specify below which changes **do not** apply.

☐ **Denied**

State the reasons for denial below.

**Comments:** \_\_\_\_\_ **OK to enter. It**

**looks like the Office printed the wrong version of the sequence listing in the issued patent. The correct version of the sequence listing should have been the latest one that was filed 7/22/04. Please replace the sequence listing in the patent with the sequence listing filed Oct 31, 2008, which is the same as the sequence listing filed 7/22/04. As such, no new matter is introduced and no scope and/or the meaning**

**SPE RESPONSE FOR CERTIFICATE OF CORRECTION**

**of the claims have been changed.**      **PNH**

---

---

---

---

---

Eileen B. O'Hara

11/24/08

**SPE**

**Art Unit**